

EAST Search History *+ Interference*

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L1 | 1 | (oximeter and voltage and turn and high\$2 and transmission and LED). clm. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/23 12:15 |
| L2 | 566 | 356/40-42.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/23 12:15 |
| L3 | 20 | 2 and (voltage same turn\$4) and (high\$2 or great\$2) and transmission and LED and information | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/23 12:29 |
| L4 | 5232 | 250/206,214.1,214R,564.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/23 12:29 |
| L5 | 33 | 4 and (voltage same turn\$4) and (high\$2 or great\$2) and transmission and LED and information | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/23 12:31 |
| L6 | 0 | 5 and oximeter | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/23 12:30 |
| L7 | 4514 | 600/300,310,323.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/23 12:31 |
| L8 | 91 | 7 and (voltage same turn\$4) and (high\$2 or great\$2) and transmission and LED and information | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/23 12:31 |
| L9 | 58 | 7 and (voltage same turn\$4) and (high\$2 or great\$2) and transmission and LED and information and oximeter | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/23 12:33 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| L11 | 9 | 7 and ((voltage same turn\$4) same (high\$2 or great\$2)) and transmission and LED and information and oximeter | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/12/23 12:34 |
| S1 | 2 | VILLAREAL-R VILLAREAL-ROBERT | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/07 15:30 |
| S2 | 2 | VILLARREAL-RICHARD | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/07 15:32 |
| S3 | 2 | ("6011986").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/07/07 15:32 |
| S4 | 32 | ("6011986").URPN. | USPAT | OR | ON | 2006/07/07 15:48 |
| S6 | 257 | led and (pulse with oximeter) and information and voltage and photodetector and pulse | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/07 15:53 |
| S7 | 25 | LED and (pulse with oximeter) and (information with transmission) and voltage and photodetector | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/10 09:57 |
| S8 | 2 | ("6861639").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/07/07 16:09 |
| S9 | 118 | resistor with voltage with higher with LED | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/07 16:36 |
| S10 | 14 | (resistor with voltage with higher with LED with turn) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/07 16:28 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S11 | 0 | oximeter and (voltage same higher same (turn adj on) same LED) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/07 16:39 |
| S12 | 129 | diab and voltage and oximeter | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/07 17:02 |
| S13 | 360 | 356/41.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/10 09:24 |
| S14 | 144 | S13 and voltage | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/10 09:24 |
| S16 | 10 | S13 and (voltage with higher) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/10 09:24 |
| S17 | 2 | "6515273".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/07/10 10:09 |
| S18 | 2 | ("6377829").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/07/10 10:12 |
| S19 | 2 | ("6397091").PN. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2006/07/10 10:12 |